

# Safety Data Sheet

according to UK REACH Regulation

## ADDINOL Anti-Corrosion Grease SW 2

Revision date: 04.11.2022

Product code: 717216

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ADDINOL Anti-Corrosion Grease SW 2

UFI: Y6A2-728U-D20G-TN1W

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Lubricant and additive.

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	

##### Supplier

Company name:	Specialised Products (Western) Limited	
Street:	76 Cobham Road, Ferndown Industrial Estate	
Place:	GB-BH21 7RN Wimborne, Dorset	
Telephone:	+44 1202 891393	Telefax: +44 1202 876908
e-mail:	sales@specialisedproducts.co.uk	
Internet:	http://specialisedproducts.co.uk	

**1.4. Emergency telephone number:** +44 1202 891393 - This number is serviced during office hours.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### GB CLP Regulation

Skin Sens. 1; H317  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

##### GB CLP Regulation

##### Hazard components for labelling

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts  
4-Nonylphenoxyacetic acid

Signal word: Warning

Pictograms:



**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 2 of 12

**Hazard statements**

H317 May cause an allergic skin reaction.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P501 Dispose of contents/container to industrial incineration plant.

**Additional advice on labelling**

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

**2.3. Other hazards**

Spilled product must not leak into the ground.  
 Do not allow uncontrolled leakage of product into the environment.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Calcium soap grease with a mineral oil base.

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts			1 - <2,5 %
	939-603-7		01-2119978241-36	
	Skin Sens. 1; H317			
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic			1 - <2,5 %
	265-156-6		01-2119480375-34	
	Asp. Tox. 1; H304			
3115-49-9	4-Nonylphenoxyacetic acid			0.5 - < 1 %
	221-486-2		01-2119982392-31	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H318 H317 H400 H410			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 3 of 12

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1471316-72-9	939-603-7	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	1 - <2,5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg Skin Sens. 1; H317: >= 2 - 100	
64742-53-6	265-156-6	Distillates (petroleum), hydrotreated light naphthenic	1 - <2,5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
3115-49-9	221-486-2	4-Nonylphenoxyacetic acid	0.5 - < 1 %
		oral: LD50 = 1674 mg/kg M acute; H400: M=1 M chron.; H410: M=1	

**Further Information**

DMSO-Extrakt &lt; 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**After inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap.

**After contact with eyes**

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! In all cases of doubt, or when symptoms persist, seek medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). carbon black.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to

# Safety Data Sheet

according to UK REACH Regulation

## ADDINOL Anti-Corrosion Grease SW 2

Revision date: 04.11.2022

Product code: 717216

Page 4 of 12

cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

High slip hazard because of leaking or spilled product. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### Other information

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Avoid contact with skin, eyes and clothes.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

##### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

##### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

##### Further information on storage conditions

Protect against: UV-radiation/sunlight. heat. frost.

Recommended storage temperature: 5 - 40°C

#### 7.3. Specific end use(s)

Further information: see technical data sheet.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Safety Data Sheet

according to UK REACH Regulation

### ADDINOL Anti-Corrosion Grease SW 2

Revision date: 04.11.2022

Product code: 717216

Page 5 of 12

#### DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts		
Worker DNEL, long-term	inhalation	systemic	35,26 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	25 mg/kg bw/day
Worker DNEL, acute	dermal	local	1,04 mg/cm <sup>2</sup>
Consumer DNEL, long-term	inhalation	systemic	8,7 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	12,5 mg/kg bw/day
Consumer DNEL, acute	dermal	local	0,518 mg/cm <sup>2</sup>
Consumer DNEL, long-term	oral	systemic	2,5 mg/kg bw/day
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic		
Worker DNEL, long-term	inhalation	systemic	2,73 mg/m <sup>3</sup>
Worker DNEL, long-term	inhalation	local	5,58 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNEL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
Consumer DNEL, long-term	oral	systemic	0,74 mg/kg bw/day
3115-49-9	4-Nonylphenoxyacetic acid		
Worker DNEL, long-term	inhalation	systemic	1,76 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	systemic	17,6 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,43 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	systemic	4,3 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day

## Safety Data Sheet

according to UK REACH Regulation

### ADDINOL Anti-Corrosion Grease SW 2

Revision date: 04.11.2022

Product code: 717216

Page 6 of 12

#### PNEC values

CAS No	Substance	Value
Environmental compartment		
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	
Freshwater		0,1 mg/l
Freshwater (intermittent releases)		1 mg/l
Marine water		0,1 mg/l
Freshwater sediment		45211 mg/kg
Marine sediment		45211 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		36739,74 mg/kg
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic	
Secondary poisoning		9,33 mg/kg
3115-49-9	4-Nonylphenoxyacetic acid	
Freshwater		0,001 mg/l
Freshwater (intermittent releases)		0,009 mg/l
Marine water		0 mg/l
Freshwater sediment		0,02 mg/kg
Marine sediment		0,002 mg/kg
Micro-organisms in sewage treatment plants (STP)		1 mg/l
Soil		0,004 mg/kg

#### Additional advice on limit values

The product does not contain any relevant quantities of substances with legally established exposure limitation.

#### 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

No special measures are necessary.

##### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

##### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 7 of 12

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Paste
Colour:	light brown
Odour:	characteristic
Odour threshold:	not determined

**Test method****Changes in the physical state**

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flash point:	> 200 °C DIN EN ISO 2592

**Flammability**

Solid/liquid:	not determined
Gas:	not determined

**Explosive properties**

evaluation: not Explosive.

Lower explosion limits:	No data available
Upper explosion limits:	No data available
Auto-ignition temperature:	not determined

**Self-ignition temperature**

Solid:	incapable of spontaneous heating.
Gas:	No data available

Decomposition temperature: No data available

pH-Value: No data available

Viscosity / kinematic:  
(at 40 °C) 100 mm<sup>2</sup>/s DIN 51562 - Base oil

Water solubility: insoluble

**Solubility in other solvents**

No data available

Partition coefficient n-octanol/water: No data available

Vapour pressure: No data available

Density (at 20 °C): 0,94 g/cm<sup>3</sup> DIN 51757

Relative vapour density: No data available

**9.2. Other information****Information with regard to physical hazard classes**

Sustaining combustion: No data available

Oxidizing properties  
No data available**Other safety characteristics**

Evaporation rate: No data available

**Further Information**

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 8 of 12

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is stable under storage at normal ambient temperatures.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

**10.5. Incompatible materials**

Reacts with: Oxygen. Oxidizing agents, strong.

**10.6. Hazardous decomposition products**In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). carbon black.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts				
	oral	LD50 > 10000 - < 20000 mg/kg	Rat	Study report (1972)	Adult albino male Sprague-Dawley rats
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1989)	OECD Guideline 402
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402
3115-49-9	4-Nonylphenoxyacetic acid				
	oral	LD50 1674 mg/kg	Rat	Study report (1986)	OECD Guideline 401

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

May cause an allergic skin reaction. (Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts; 4-Nonylphenoxyacetic acid)

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.



**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 9 of 12

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

not applicable

**Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

Mixture not tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Oncorhynchus mykiss	Study report (2005)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1994)	EPA OTS 797.1050
	Acute crustacea toxicity	EL50 > 1000 mg/l	48 h	Daphnia magna	Study report (1993)	EPA OTS 797.1300
	Acute bacteria toxicity	(EC50 > 10000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (1994)	OECD Guideline 209
64742-53-6	Distillates (petroleum), hydrotreated light naphthenic					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l				
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a
3115-49-9	4-Nonylphenoxyacetic acid					
	Acute fish toxicity	LC50 9 mg/l	96 h	Danio rerio	Study report (1985)	OECD Guideline 203
	Acute algae toxicity	ErC50 27,21 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2012)	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,88 mg/l	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202

**12.2. Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 10 of 12

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	> 6,91
3115-49-9	4-Nonylphenoxyacetic acid	5,8

**BCF**

CAS No	Chemical name	BCF	Species	Source
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	70,8	Fish, not further specified.	Study report (2013)
3115-49-9	4-Nonylphenoxyacetic acid	23,63	Fish	Calculation (2012)

**12.4. Mobility in soil**

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available

**Further information**

Do not allow uncontrolled leakage of product into the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

**List of Wastes Code - residues/unused products**

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

**SECTION 14: Transport information****Land transport (ADR/RID)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**Inland waterways transport (ADN)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**Marine transport (IMDG)**

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 11 of 12

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**Other applicable information**

No dangerous good in sense of these transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,9,10,11,12,15,16.

**Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Anti-Corrosion Grease SW 2**

Revision date: 04.11.2022

Product code: 717216

Page 12 of 12

Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*