

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

ADDINOL Cliptec XHS 280

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Lubricant and additive.

For industrial purposes only.

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

|                         |                                |                               |
|-------------------------|--------------------------------|-------------------------------|
| Company name:           | ADDINOL Lube Oil GmbH          |                               |
|                         | 4609                           |                               |
| Street:                 | Am Haupttor                    |                               |
| Place:                  | D-06237 Leuna                  |                               |
| Telephone:              | +49 (0) 3461 845-0             | Telefax: +49 (0) 3461 845-555 |
| E-mail:                 | info@addinol.de                |                               |
| Contact person:         | Application Technology         |                               |
| Internet:               | www.addinol.de                 |                               |
| Responsible Department: | ADDINOL Application Technology |                               |

**Supplier**

|               |                                           |
|---------------|-------------------------------------------|
| Company name: | ETL Fluid Experts Ltd.                    |
| Street:       | Grimbald Crag Road                        |
| Place:        | GB-HG5 8PY Knaresborough, North Yorkshire |
| Telephone:    | +44 (0)1423 522911                        |
| E-mail:       | sales(@)etlfe.com                         |
| Internet:     | https://www.etlfluidexperts.com/          |

**1.4. Emergency telephone number:**

+44 (0)1423 522911 - This number is serviced during office hours.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**2.2. Label elements****GB CLP Regulation****Pictograms:****Hazard statements**

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

|      |                                   |
|------|-----------------------------------|
| P273 | Avoid release to the environment. |
| P391 | Collect spillage.                 |

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 2 of 12

P501

Dispose of contents/container to industrial incineration plant.

**Additional advice on labelling**

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

**2.3. Other hazards**

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture of synthetic base components and additives.

**Relevant ingredients**

| CAS No     | Chemical name                                                         |          |                  | Quantity    |
|------------|-----------------------------------------------------------------------|----------|------------------|-------------|
|            | EC No                                                                 | Index No | REACH No         |             |
|            | Classification (GB CLP Regulation)                                    |          |                  |             |
| 68411-46-1 | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |          |                  | 1 - < 2.5 % |
|            | 270-128-1                                                             |          | 01-2119491299-23 |             |
|            | Repr. 2; H361f                                                        |          |                  |             |
| 68937-41-7 | Triaryl phosphate isopropylated                                       |          |                  | 1 - < 2.5 % |
|            | 273-066-3                                                             |          | 01-2119535109-41 |             |
|            | Repr. 2, STOT RE 2, Aquatic Chronic 1; H361fd H373 H410               |          |                  |             |

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No                                                      | Chemical name                                                         | Quantity    |
|------------|------------------------------------------------------------|-----------------------------------------------------------------------|-------------|
|            | Specific Conc. Limits, M-factors and ATE                   |                                                                       |             |
| 68411-46-1 | 270-128-1                                                  | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 1 - < 2.5 % |
|            | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg     |                                                                       |             |
| 68937-41-7 | 273-066-3                                                  | Triaryl phosphate isopropylated                                       | 1 - < 2.5 % |
|            | dermal: LD50 = > 10000 mg/kg Aquatic Chronic 1; H410: M=10 |                                                                       |             |

**Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 3 of 12

**After ingestion**

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Atomized water.**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur oxides. Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides. carbon black.**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 4 of 12

**Advice on safe handling**

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

**Advice on general occupational hygiene**

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Provide adequate ventilation as well as local exhaust at critical locations. Keep/Store only in original container.

**Hints on joint storage**

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent.

**Further information on storage conditions**

Protect against: UV-radiation/sunlight. Frost. heat.

Recommended storage temperature: 5 - 40°C

**7.3. Specific end use(s)**

Further information: see technical data sheet.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 5 of 12

**DNEL/DMEL values**

| CAS No                   | Substance                                                             |                |          |                      |
|--------------------------|-----------------------------------------------------------------------|----------------|----------|----------------------|
| DNEL type                |                                                                       | Exposure route | Effect   | Value                |
| 68411-46-1               | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |                |          |                      |
| Worker DNEL, long-term   |                                                                       | inhalation     | systemic | 0,31 mg/m³           |
| Worker DNEL, long-term   |                                                                       | dermal         | systemic | 0,44 mg/kg bw/day    |
| Consumer DNEL, long-term |                                                                       | inhalation     | systemic | 0,08 mg/m³           |
| Consumer DNEL, long-term |                                                                       | dermal         | systemic | 0,22 mg/kg bw/day    |
| Consumer DNEL, long-term |                                                                       | oral           | systemic | 0,05 mg/kg bw/day    |
| 68937-41-7               | Triaryl phosphate isopropylated                                       |                |          |                      |
| Consumer DNEL, acute     |                                                                       | oral           | systemic | 50 mg/kg bw/day      |
| Worker DNEL, long-term   |                                                                       | inhalation     | systemic | 0,145 mg/m³          |
| Worker DNEL, acute       |                                                                       | inhalation     | systemic | 700 mg/m³            |
| Worker DNEL, long-term   |                                                                       | dermal         | systemic | 0,25 mg/kg bw/day    |
| Worker DNEL, acute       |                                                                       | dermal         | systemic | 2000 mg/kg bw/day    |
| Worker DNEL, acute       |                                                                       | dermal         | local    | 16 mg/cm²            |
| Consumer DNEL, acute     |                                                                       | inhalation     | systemic | 350 mg/m³            |
| Consumer DNEL, long-term |                                                                       | dermal         | systemic | 0,0298 mg/kg bw/day  |
| Consumer DNEL, acute     |                                                                       | dermal         | systemic | 100 mg/kg bw/day     |
| Consumer DNEL, acute     |                                                                       | dermal         | local    | 8 mg/cm²             |
| Consumer DNEL, long-term |                                                                       | oral           | systemic | 0,00835 mg/kg bw/day |

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 6 of 12

**PNEC values**

| CAS No                                           | Substance                                                             |             |
|--------------------------------------------------|-----------------------------------------------------------------------|-------------|
| Environmental compartment                        |                                                                       | Value       |
| 68411-46-1                                       | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |             |
| Freshwater                                       |                                                                       | 0,034 mg/l  |
| Freshwater (intermittent releases)               |                                                                       | 0,51 mg/l   |
| Marine water                                     |                                                                       | 0,003 mg/l  |
| Freshwater sediment                              |                                                                       | 0,446 mg/kg |
| Marine sediment                                  |                                                                       | 0,045 mg/kg |
| Secondary poisoning                              |                                                                       | 0,833 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |                                                                       | 10 mg/l     |
| Soil                                             |                                                                       | 17,6 mg/kg  |
| 68937-41-7                                       | Triaryl phosphate isopropylated                                       |             |
| Freshwater                                       |                                                                       | 0 mg/l      |
| Freshwater (intermittent releases)               |                                                                       | 0,015 mg/l  |
| Marine water                                     |                                                                       | 0 mg/l      |
| Freshwater sediment                              |                                                                       | 0,185 mg/kg |
| Marine sediment                                  |                                                                       | 0,018 mg/kg |
| Secondary poisoning                              |                                                                       | 1,85 mg/kg  |
| Micro-organisms in sewage treatment plants (STP) |                                                                       | 100 mg/l    |
| Soil                                             |                                                                       | 2,5 mg/kg   |

**Additional advice on limit values**

Recommended limit value for oil mist

TWA: 5 mg/m<sup>3</sup>STEL: 10 mg/m<sup>3</sup>

Does not contain substances above concentration limits fixing an occupational exposure limit.

**8.2. Exposure controls****Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

**Hand protection**

Tested protective gloves must be worn DIN-/EN-Norms: EN ISO 374

Wearing time with permanent contact 480 min

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material 0.4 mm

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 7 of 12

Protect skin by using skin protective cream.

**Skin protection**

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                  |                |
|------------------|----------------|
| Physical state:  | liquid         |
| Colour:          | yellow         |
| Odour:           | characteristic |
| Odour threshold: | not determined |

**Test method**

|                                                           |                                    |
|-----------------------------------------------------------|------------------------------------|
| Melting point/freezing point:                             | No data available                  |
| Boiling point or initial boiling point and boiling range: | not determined                     |
| Flammability:                                             | No data available                  |
| Lower explosion limits:                                   | No data available                  |
| Upper explosion limits:                                   | No data available                  |
| Flash point:                                              | 290 °C DIN EN ISO 2592             |
| Auto-ignition temperature:                                | not determined                     |
| Decomposition temperature:                                | No data available                  |
| pH-Value:                                                 | not applicable                     |
| Viscosity / kinematic:<br>(at 40 °C)                      | 295 mm <sup>2</sup> /s ASTM D 7042 |
| Water solubility:                                         | virtually insoluble                |
| Solubility in other solvents                              |                                    |
| No data available                                         |                                    |
| Partition coefficient n-octanol/water:                    | No data available                  |
| Vapour pressure:                                          | No data available                  |
| Density (at 15 °C):                                       | 0,976 g/cm <sup>3</sup> DIN 51757  |
| Relative vapour density:                                  | No data available                  |
| Particle characteristics:                                 | No data available                  |

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

**Other safety characteristics**

Evaporation rate:

No data available

Pour point:

-35 °C ASTM D 7346

**SECTION 10: Stability and reactivity**

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 8 of 12

**10.1. Reactivity**

The product is stable under storage at normal ambient temperatures.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

No known hazardous reactions.

**10.4. Conditions to avoid**

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

**10.5. Incompatible materials**

Reacts with: Oxidising agent, strong. Acid.

**10.6. Hazardous decomposition products**In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur oxides. Nitrogen oxides (NO<sub>x</sub>). Phosphorus oxides. carbon black.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

| CAS No     | Chemical name                                                         |                       |         |                     |                       |
|------------|-----------------------------------------------------------------------|-----------------------|---------|---------------------|-----------------------|
|            | Exposure route                                                        | Dose                  | Species | Source              | Method                |
| 68411-46-1 | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |                       |         |                     |                       |
|            | oral                                                                  | LD50<br>mg/kg > 5000  | Rat     | Study report (1982) | OECD Guideline 401    |
|            | dermal                                                                | LD50<br>mg/kg > 2000  | Rat     | Study report (1988) | OECD Guideline 402    |
| 68937-41-7 | Triaryl phosphate isopropylated                                       |                       |         |                     |                       |
|            | dermal                                                                | LD50<br>mg/kg > 10000 | Rabbit  | Study report (1976) | other: 16 CFR 1500.40 |

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.



**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 9 of 12

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards****Endocrine disrupting properties**

not applicable

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

| CAS No     | Chemical name                                                         |                      |           |                            |                            |                    |
|------------|-----------------------------------------------------------------------|----------------------|-----------|----------------------------|----------------------------|--------------------|
|            | Aquatic toxicity                                                      | Dose                 | [h]   [d] | Species                    | Source                     | Method             |
| 68411-46-1 | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene |                      |           |                            |                            |                    |
|            | Acute fish toxicity                                                   | LC50 > 100 mg/l      | 96 h      | Danio rerio                | Study report (1988)        | OECD Guideline 203 |
|            | Acute algae toxicity                                                  | ErC50 > 100 mg/l     | 72 h      | Desmodesmus subspicatus    | Study report (2006)        | OECD Guideline 201 |
|            | Acute crustacea toxicity                                              | EC50 51 mg/l         | 48 h      | Daphnia magna              | Study report (2004)        | OECD Guideline 202 |
|            | Fish toxicity                                                         | NOEC 10 mg/l         | 34 d      | Danio rerio                | Study report (2020)        | OECD Guideline 210 |
|            | Crustacea toxicity                                                    | NOEC 4,45 mg/l       | 21 d      | Daphnia magna              | Study report (2020)        | OECD Guideline 211 |
| 68937-41-7 | Triaryl phosphate isopropylated                                       |                      |           |                            |                            |                    |
|            | Acute fish toxicity                                                   | LC50 10,8 mg/l       | 96 h      | Pimephales promelas        | REACH Registration Dossier | OECD Guideline 203 |
|            | Acute algae toxicity                                                  | ErC50 > 2,5 mg/l     | 72 h      | Raphidocelis subcapitata   | REACH Registration Dossier | EU Method C.3      |
|            | Acute crustacea toxicity                                              | EC50 1,5 mg/l        | 48 h      | Daphnia magna              | REACH Registration Dossier | OECD Guideline 202 |
|            | Fish toxicity                                                         | NOEC 0,0031 mg/l     | 33 d      | Pimephales promelas        | REACH Registration Dossier | OECD Guideline 210 |
|            | Crustacea toxicity                                                    | NOEC 0,0415 mg/l     | 21 d      | Daphnia magna              | REACH Registration Dossier | OECD Guideline 211 |
|            | Acute bacteria toxicity                                               | EC50 > 1000 mg/l ( ) | 3 h       | activated sludge, domestic | REACH Registration Dossier | OECD Guideline 209 |

**12.2. Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

| CAS No     | Chemical name                                                         | Log Pow        |
|------------|-----------------------------------------------------------------------|----------------|
| 68411-46-1 | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 7,11           |
| 68937-41-7 | Triaryl phosphate isopropylated                                       | 85000 - 150000 |

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 10 of 12

**BCF**

| CAS No     | Chemical name                                                         | BCF | Species             | Source               |
|------------|-----------------------------------------------------------------------|-----|---------------------|----------------------|
| 68411-46-1 | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 411 | Cyprinus carpio     | Study report (2000)  |
| 68937-41-7 | Triaryl phosphate isopropylated                                       | 225 | Lepomis macrochirus | REACH Registration D |

**12.4. Mobility in soil**

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available

**Further information**

Do not allow uncontrolled leakage of product into the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

**List of Wastes Code - residues/unused products**

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

**SECTION 14: Transport information****Land transport (ADR/RID)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**Inland waterways transport (ADN)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**Marine transport (IMDG)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -  
**14.3. Transport hazard class(es):** -  
**14.4. Packing group:** -

**Air transport (ICAO-TI/IATA-DGR)**

- 14.1. UN number or ID number:** -  
**14.2. UN proper shipping name:** -

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 11 of 12

**14.3. Transport hazard class(es):** -**14.4. Packing group:** -**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**Other applicable information**

No dangerous good in sense of these transport regulations.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water hazard class (D): 3 - highly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 8,10.

**Abbreviations and acronyms**

Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -

American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo

Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of

Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards;

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials

Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International

Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose

to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of

Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -

National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No

Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology

Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent,

Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -

Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -

Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments

and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -

United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Safety Data Sheet**

according to UK REACH Regulation

**ADDINOL Cliptec XHS 280**

Revision date: 02.09.2026

Product code: 766030

Page 12 of 12

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

|                         |                          |
|-------------------------|--------------------------|
| Classification          | Classification procedure |
| Aquatic Chronic 2; H411 | Calculation method       |

**Relevant H and EUH statements (number and full text)**

|        |                                                                          |
|--------|--------------------------------------------------------------------------|
| H361f  | Suspected of damaging fertility.                                         |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H373   | May cause damage to organs through prolonged or repeated exposure.       |
| H410   | Very toxic to aquatic life with long lasting effects.                    |
| H411   | Toxic to aquatic life with long lasting effects.                         |

**Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*